

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Irrigation & CAD Department – Allegation of assets disproportionate to the known sources of his legal income against Sri Pusala Srinivasa Kasinath, Superintending Engineer, SRBC Circle No.2, Nandyala, Kurnool District, formerly Superintending Engineer, Irrigation Department, HNSS Circle No.3, Madanapalli, Chittoor District - Departmental Action – Articles of Charges – Issued.

IRRIGATION & C.A.D. (IW:SERVICES-VI(1) DEPARTMENT

G.O.Rt.No. 1487.

Dated 07-09-2009.

ORDER:

It is proposed to hold an inquiry against Sri Pusala Srinivasa Kasinath, Superintending Engineer, SRBC Circle No.-2, Nandyala, Kurnool District, formerly Superintending Engineer, Irrigation Department, HNSS Circle No.3, Madanapalli, Chittoor District, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set-out in the enclosed statement of articles of charges (Annexure-I). A statement of imputations of misconduct or misbehavior in support of each article of charge is enclosed (Annexure-II). A list of witness by whom, the article of charges are proposed and a list of documents in support of Charges proposed to be sustained are also enclosed (Annexure III and IV).

3. Sri Pusala Srinivasa Kasinath, Superintending Engineer is directed to submit a written statement of his defense within 10 days of the receipt of this order.

4. Sri Pusala Srinivasa Kasinath, Superintending Engineer is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri Pusala Srinivasa Kasinath, Superintending Engineer is further informed that if he does not submit his written statement of defense on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 or the orders issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex -parte.

6. Attention of Sri Pusala Srinivasa Kasinath, Superintending Engineer is invited to Rule 24 of the A.P.Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri Pusala Srinivasa Kasinath, Superintending Engineer is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the A.P.Civil Service (Conduct) Rules, 1964.

(P.T.O.)

::2::

7. The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad is requested to communicate the date of acknowledgement of Accused Officer immediately.

8. The receipt of the G.O. may please be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri Pusala Srinivasa Kasinath, Superintending Engineer through the
Engineer-in-Chief (AW), I & CAD Deptt., Hyderabad.
The Engineer-in-Chief (AW), Irrigation & CAD Deptt., Hyderabad.

Copy to:

The Director General, Anti Corruption Bureau, Hyderabad.
The Secretary, A.P.Vigilance Commission, Hyderabad.
SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER